ELSEVIER

Physica C 227 (1994) 399–402

PHYSICA C

Author index to volume 227

Acha, C., V. Bekeris, L. Urba, G. Polla, P. Levy, G. Leyva, M.A.R. de Benyacar and F. de la Cruz, Chlorination effects in electrical transport properties of ceramic $La_{2-x}Sr_xCuO_{4-\delta-y}Cl_y$ **227**, 237
Adachi, S., see N. Seiji **227**, 377
Alméras, P., see J. Ma **227**, 371
Amamoto, Y., H. Yamane, T. Oku, Y. Miyazaki and T. Hirai, Preparation and crystal structure of $Nd_2Sr_3Cu_3O_6(BO_3)_2$ **227**, 245
Antipov, E.V., see W. Hoffmann **227**, 225
Asayama, K., see G.-Q. Zheng **227**, 169
Azuma, M., see H. Takahashi **227**, 395

Babcock, S.E., X.Y. Cai, D.C. Larbalestier, D.H. Shin, N. Zhang, H. Zhang, D.L. Kaiser and Y.F. Gao, A TEM-EELS study of hole concentrations near strongly and weakly coupled grain boundaries in electromagnetically characterized $YBa_2Cu_3O_{7-\delta}$ bicrystals **227**, 183
Baenitz, M., see W. Hoffmann **227**, 225
Baiker, A., see M. Maciejewski **227**, 343
Baker, A.P. and B.A. Glowacki, The effect of Bi content on the phase purity and the superconducting critical temperature of a Sr and Ca deficient Bi-2212 stoichiometry **227**, 31
Baraduc, C., see A. Buzdin **227**, 365
Bayless, W.R., see K.D. Carlson **227**, 10
Bekeris, V., see C. Acha **227**, 237
Benschop, F.J.M., R.B. Helmholdt and W.J.A. Maaskant, Crystal structures and structural modulations of $Pb_2SrLaCu_2O_{6+\delta}$ ($\delta \approx 0$, $\delta \approx 1.5$) by neutron powder diffraction and HREM **227**, 129
Berger, H., see J. Ma **227**, 371
Bhagwat, K.V., S.V. Nair and P. Chaddah, Mutually perpendicular magnetic fields parallel to a slab. A test case for the critical state model **227**, 176
Breitzke, H., see W. Hoffmann **227**, 225
Brinkmann, D., see J. Karpinski **227**, 68
Buntkowsky, G., see W. Hoffmann **227**, 225
Buzdin, A., A. Neminsky, P. Nikolaev and C. Baraduc, Quasi-2D fluctuation contribution in London penetration depth in $YBa_2Cu_3O_{7-\delta}$ **227**, 365

Cai, X.Y., see S.E. Babcock **227**, 183
Canfield, P.C., see M. Xu **227**, 321
Canfield, P.C., see R. Movshovich **227**, 381
Cao, Y., see Y.Y. Xue **227**, 63
Capponi, J.J., see Q. Huang **227**, 1
Carlson, K.D., A.M. Kini, J.A. Schlueter, H.H. Wang, J.D.B. Sutin, J.M. Williams, J.E. Schirber, E.L. Venturini and W.R. Bayless, The isotope effect for superconductivity in high-T_c β^*-$(ET)_2I_3$ with ^{13}C isotopic substitution in the ring and central C=C atoms of bis(ethylenedithio)tetrathiafulvalene (ET) **227**, 10
Celotti, G., see A. Tampieri **227**, 300
Chaddah, P., see K.V. Bhagwat **227**, 176
Chaillout, C., see Q. Huang **227**, 1
Chakoumakos, B.C. and M. Paranthaman, Neutron powder diffraction study of the superconducting quaternary intermetallic compound YNi_2B_2C **227**, 143
Chen, X.K., J.C. Irwin, R. Liang and W.N. Hardy, Low energy Raman continua of $YBa_2Cu_3O_x$. Tight-binding model implications **227**, 113
Chmaissem, O., see Q. Huang **227**, 1
Cho, B.K., see M. Xu **227**, 321
Cho, B.K., see R. Movshovich **227**, 381
Chu, C.W., see Y.Y. Xue **227**, 63
Chubukov, A.V., see R. Movshovich **227**, 381
Chung, B.C., C.H. Tsai, S.S. Hsu, C.C. Yu, C.H. Lin and I.N. Lin, Epitaxial-like $Y_1Ba_2Cu_3O_{7-\delta}$ superconducting thin films synthesized by plasma enhanced chemical beam deposition techniques **227**, 357
Cohen, M.L., see J. Ma **227**, 371
Conder, K., see J. Karpinski **227**, 68
Conder, K., see M. Maciejewski **227**, 343

Dabrowski, B., see J.P. Zhang **227**, 259
De Benyacar, M.A.R., see C. Acha **227**, 237
De la Cruz, F., see C. Acha **227**, 237
Dimesso, L., I. Matsubara, T. Ogura, R. Funahashi, H. Yamashita and A. Tampieri, Preparation and characterization of the Ga doped Bi–Sr–Ca–Cu–O system **227**, 291

Enomoto, Y., see R. Kato **227**, 387

Finnemore, D.K., see M. Xu **227**, 321
Fischer, P., see V.A. Trounov **227**, 285
Flambaum, V.V., M.Yu. Kuchiev and O.P. Sushkov, Hole–hole superconducting pairing in the t–J model induced by long-range spin-wave exchange **227**, 267
Funahashi, R., see L. Dimesso **227**, 291

Gao, Y.F., see S.E. Babcock **227**, 183

Gippius, A.A., see W. Hoffmann **227**, 225
Glowacki, B.A., see A.P. Baker **227**, 31
Gnanasekar, K.I., see R. Pinto **227**, 120
Gong, C.-D., see M.-R. Li **227**, 49
Greaves, C., see E.Z. Kurmaev **227**, 309
Groenke, D.A., see J.P. Zhang **227**, 259
Guo, H.-Y., see M.-L. Zhang **227**, 15
Gupta, L.C., see R. Pinto **227**, 120

Hardy, W.N., see X.K. Chen **227**, 113
Heinze, M., see W. Hoffmann **227**, 225
Helmholdt, R.B., see F.J.M. Benschop **227**, 129
Hervieu, M., see D. Pelloquin **227**, 215
Hilscher, G., see N.M. Hong **227**, 85
Hinks, D.G., see J.F. Mitchell **227**, 279
Hirabayashi, I., see A. Matsushita **227**, 254
Hirai, T., see Y. Amamoto **227**, 245
Hiroi, Z., see H. Takahashi **227**, 395
Hoffmann, W., H. Breitzke, M. Baenitz, M. Heinze, K. Lüders, G. Buntkowsky, H.H. Limbach, E.V. Antipov, A.A. Gippius, O. Loebich, H.R. Khan, M. Paranthaman and J.R. Thompson, Application of ^{199}Hg solid-state NMR to Hg based HTSC **227**, 225
Holubar, T., see N.M. Hong **227**, 85
Hong, N.M., H. Michor, M. Vybornov, T. Holubar, P. Hundegger, W. Perthold, G. Hilscher and P. Rogl, Superconductivity in Y–Ni–B base compounds **227**, 85
Honig, J.M., see K. Sreedhar **227**, 160
Horii, S., see A. Matsushita **227**, 254
Hsu, S.S., see B.C. Chung **227**, 357
Huang, Q., O. Chmaissem, J.J. Capponi, C. Chaillout, M. Marezio, J.L. Tholence and A. Santoro, Neutron powder diffraction study of the crystal structure of $HgBa_2Ca_4Cu_5O_{12+\delta}$ at room temperature and at 10 K **227**, 1
Hundegger, P., see N.M. Hong **227**, 85
Hundley, M.F., see R. Movshovich **227**, 381

Irwin, J.C., see X.K. Chen **227**, 113
Isobe, M., K. Kosuda and E. Takayama-Muromachi, Identification of 70 K superconducting phase in the Y–Ca–Sr–Ga–Cu–O system **227**, 351
Ito, T., see K. Oka **227**, 77
Ito, W., Y. Yoshida, S. Mahajan and T. Morishita, Effects of film thickness and substrate on superconductivity of epitaxially grown *a*-axis YBCO films **227**, 313

Jayaprakash, R., S.S. Kushwaha and J. Shanker, Analysis of cohesive energies and equation of state for high-temperature superconductors **227**, 109
Jilek, E., see V.A. Trounov **227**, 285
Johnston, D.C., see M. Xu **227**, 321

Kaganovich, T.Yu., see V.A. Trounov **227**, 285
Kaiser, D.L., see S.E. Babcock **227**, 183
Kaldis, E., see J. Karpinski **227**, 68
Kaldis, E., see V.A. Trounov **227**, 285
Kaldis, E., see M. Maciejewski **227**, 343
Karpinski, J., K. Conder, H. Schwer, Ch. Krüger, E. Kaldis, M. Maciejewski, C. Rossel, M. Mali and D. Brinkmann, Influence of the synthesis conditions and carbonate content on the properties of $Y_2Ba_4Cu_7O_{14+x}$ **227**, 68
Karpinski, J., see V.A. Trounov **227**, 285
Karpinski, J., see M. Maciejewski **227**, 343
Kato, R., Y. Enomoto and S. Maekawa, Simulation study of the mixed state in inhomogeneous superconductors **227**, 387
Kawamoto, K., see A. Matsushita **227**, 254
Kawashima, T., Y. Matsui and E. Takayama-Muromachi, A new series of oxycarbonate superconductors $(Cu_{0.5}C_{0.5})_2Ba_3Ca_{n-1}Cu_nO_{2n+5}$ (n=4, 5) prepared at high pressure **227**, 95
Keer, H.V., see R. Pinto **227**, 120
Kelley, R.J., see J. Ma **227**, 371
Khan, H.R., see W. Hoffmann **227**, 225
Kinalidis, C., see Y.Y. Xue **227**, 63
Kini, A.M., see K.D. Carlson **227**, 10
Kitaoka, Y., see G.-Q. Zheng **227**, 169
Kodama, Y., see G.-Q. Zheng **227**, 169
Kodama, Y., see A. Matsushita **227**, 254
Kosuda, K., see M. Isobe **227**, 351
Krüger, Ch., see J. Karpinski **227**, 68
Krüger, Ch., see M. Maciejewski **227**, 343
Kuchiev, M.Yu., see V.V. Flambaum **227**, 267
Kurmaev, E.Z., S.N. Shamin, P.R. Slater and C. Greaves, Borate substitution in $YSrBaCu_3O_7$ studied by X-ray emission spectroscopy **227**, 309
Kushwaha, S.S., see R. Jayaprakash **227**, 109

Larbalestier, D.C., see S.E. Babcock **227**, 183
Levy, P., see C. Acha **227**, 237
Leyva, G., see C. Acha **227**, 237
Li, M.-R., Y.-J. Wang and C.-D. Gong, Staggered gauge vortices on a triangular lattice **227**, 49
Liang, R., see X.K. Chen **227**, 113
Limbach, H.H., see W. Hoffmann **227**, 225
Lin, C.H., see B.C. Chung **227**, 357
Lin, I.N., see B.C. Chung **227**, 357
Loebich, O., see W. Hoffmann **227**, 225
Lüders, K., see W. Hoffmann **227**, 225

Ma, J., P. Alméras, R.J. Kelley, H. Berger, G. Margaritondo, A. Umezawa, M.L. Cohen and M. Onellion, Effect of iodine doping on $Bi_2Sr_2Ca_1Cu_2O_x$. Charge transfer or interlayer coupling? **227**, 371
Maaskant, W.J.A., see F.J.M. Benschop **227**, 129
Maciejewski, M., see J. Karpinski **227**, 68
Maciejewski, M., A. Baiker, K. Conder, Ch. Krüger, J. Karpinski and E. Kaldis, Determination of carbon dioxide contents in cuprate superconductors of the $Y_2Ba_4Cu_{6+n}O_{14+n}$ family **227**, 343
Maekawa, S., see R. Kato **227**, 387
Mahajan, S., see W. Ito **227**, 313
Maignan, A., see D. Pelloquin **227**, 215
Mali, M., see J. Karpinski **227**, 68

Marezio, M., see Q. Huang **227**, 1
Margaritondo, G., see J. Ma **227**, 371
Marks, L.D., see J.P. Zhang **227**, 259
Martynovich, A.Yu., First-order Kosterlitz–Thouless phase transition in layered high-T_c superconductor under magnetic induction **227**, 22
Matsubara, I., see L. Dimesso **227**, 291
Matsui, Y., see T. Kawashima **227**, 95
Matsumoto, T., see A. Matsushita **227**, 254
Matsushita, A., T. Yamanishi, Y. Yamada, N. Yamada, S. Takashima, S. Horii, K. Kawamoto, I. Hirabayashi, Y. Kodama, M. Otsuka and T. Matsumoto, Pressure effects on the electrical resistivities of $(Y_{1-x}Pr_x)_2Ba_4Cu_7O_{15-\delta}$ with $x=0$, 0.1, 0.4 and 0.6 **227**, 254
Meng, R.L., see Y.Y. Xue **227**, 63
Metcalf, P.A., see K. Sreedhar **227**, 160
Michel, C., see D. Pelloquin **227**, 215
Michor, H., see N.M. Hong **227**, 85
Mitchell, J.F., D.G. Hinks and J.L. Wagner, Low-pressure synthesis of tetragonal Sr_2CuO_{3+x} from a single-source hydroxometallate precursor **227**, 279
Miyazaki, Y., see Y. Amamoto **227**, 245
Môri, N., see H. Takahashi **227**, 395
Morishita, T., see W. Ito **227**, 313
Movshovich, R., M.F. Hundley, J.D. Thompson, P.C. Canfield, B.K. Cho and A.V. Chubukov, Specific heat of single-crystal YNi_2B_2C and $TmNi_2B_2C$ superconductors **227**, 381
Mukherjee, K., see I.S. Oh **227**, 197

Nair, S.V., see K.V. Bhagwat **227**, 176
Neminsky, A., see A. Buzdin **227**, 365
Nikolaev, P., see A. Buzdin **227**, 365
Nilsson-Mellbin, M. and K. Salama, Effect of applied magnetic field on the I–V characteristics of melt-textured $YBa_2Cu_3O_{7-x}$ superconductors containing grain boundaries **227**, 40

Ogura, T., see L. Dimesso **227**, 291
Oh, I.S. and K. Mukherjee, Texture formation in superconducting BSCCO 2212/Ag composite tapes. Effect of cold rolling and laser float zone melting technique **227**, 197
Oka, K. and T. Ito, Crystal growth of $REBa_2Cu_3O_{7-y}$ (RE=Y, La, Pr, Nd and Sm) by the travelling-solvent floating-zone method **227**, 77
Oku, T., see Y. Amamoto **227**, 245
Onellion, M., see J. Ma **227**, 371
Ostenson, J.E., see M. Xu **227**, 321
Otsuka, M., see A. Matsushita **227**, 254

Paranthaman, M., see B.C. Chakoumakos **227**, 143
Paranthaman, M., see W. Hoffmann **227**, 225
Pelloquin, D., M. Hervieu, C. Michel, A. Maignan and B. Raveau, A new superconducting oxycarbonate $Bi_{0.5}Hg_{0.5}Sr_4Cu_2CO_3O_{7-\delta}$ **227**, 215
Perez, I. and S. Tyagi, Microwave-absorption monitoring of aging and thermal-cycling effects in cuprate superconductors **227**, 230
Perthold, W., see N.M. Hong **227**, 85
Pinto, R., K.I. Gnanasekar, H.V. Keer, A.S. Tamhane, L.C. Gupta and R. Vijayaraghavan, Microstructural and transport properties of laser ablated $LuBa_2Cu_3O_{7-\delta}$ thin films **227**, 120
Poeppelmeier, K.R., see J.P. Zhang **227**, 259
Polla, G., see C. Acha **227**, 237
Ponnambalam, V. and U.V. Varadaraju, High-temperature resistivity and thermopower studies on substituted Bi-2212 and Bi-2201 systems **227**, 102

Raveau, B., see D. Pelloquin **227**, 215
Ricciardiello, F., see A. Tampieri **227**, 300
Rogl, P., see N.M. Hong **227**, 85
Rossel, C., see J. Karpinski **227**, 68
Russell, G.J., see H.B. Sun **227**, 55
Russo, G., see A. Tampieri **227**, 300

Salama, K., see M. Nilsson-Mellbin **227**, 40
Santoro, A., see Q. Huang **227**, 1
Sarma, C., see G. Schindler **227**, 151
Schindler, G. and C. Sarma, Determination of the relative misorientation of two grains in $YBa_2Cu_3O_{7-\delta}$ by twin pattern analysis **227**, 151
Schirber, J.E., see K.D. Carlson **227**, 10
Schlueter, J.A., see K.D. Carlson **227**, 10
Schwer, H., see J. Karpinski **227**, 68
Seiji, N., S. Adachi and H. Yamauchi, Synthesis of a new "124" compound, $PrBa_2Cu_4O_8$ **227**, 377
Shamin, S.N., see E.Z. Kurmaev **227**, 309
Shanker, J., see R. Jayaprakash **227**, 109
Shin, D.H., see S.E. Babcock **227**, 183
Skakle, J.M.S. and A.R. West, Superconducting $La_{1.5-x}Ba_{1.5+x-y}Ca_yCu_3O_z$ solid solutions. II. Oxygen content and crystal structure **227**, 336
Slater, P.R., see E.Z. Kurmaev **227**, 309
Sreedhar, K., P.A. Metcalf and J.M. Honig, Effect of a change in the carrier concentration and disorder on the superconducting transition temperature of the $La_{2-x}Sr_xCu_{1-y}Ni_yO_4$ system **227**, 160
Sun, H.B., K.N.R. Taylor and G.J. Russell, The "irreversibility line" in oxygen-deficient YBCO **227**, 55
Sushkov, O.P., see V.V. Flambaum **227**, 267
Sutin, J.D.B., see K.D. Carlson **227**, 10

Takahashi, H., N. Môri, M. Azuma, Z. Hiroi and M. Takano, Effect of pressure on T_c of hole- and electron-doped infinite-layer compounds up to 8 GPa **227**, 395
Takano, M., see H. Takahashi **227**, 395
Takashima, S., see A. Matsushita **227**, 254
Takayama-Muromachi, E., see T. Kawashima **227**, 95
Takayama-Muromachi, E., see M. Isobe **227**, 351
Tamhane, A.S., see R. Pinto **227**, 120
Tampieri, A., see L. Dimesso **227**, 291
Tampieri, A., G. Celotti, F. Ricciardiello and G. Russo, Powder

preparation by organic precursor and densification of a high-T_c Bi-based superconductor **227**, 300
Taylor, K.N.R., see H.B. Sun **227**, 55
Tholence, J.L., see Q. Huang **227**, 1
Thompson, J.D., see R. Movshovich **227**, 381
Thompson, J.R., see W. Hoffmann **227**, 225
Trounov, V.A., T.Yu. Kaganovich, P. Fischer, E. Kaldis, J. Karpinski and E. Jilek, High-resolution RFTOF neutron diffraction study of the temperature dependence of the structure of the $T_c = 87$ K superconductor $Y_{0.9}{}^{44}Ca_{0.1}Ba_2Cu_4O_8$ **227**, 285
Tsai, C.H., see B.C. Chung **227**, 357
Tyagi, S., see I. Perez **227**, 230

Umezawa, A., see J. Ma **227**, 371
Urba, L., see C. Acha **227**, 237

Valiakhmetov, V.R., Possible influence of the Fermi level position inside the conduction band of high-T_c oxides on the temperature dependence of their resistivity **227**, 327
Varadaraju, U.V., see V. Ponnambalam **227**, 102
Venturini, E.L., see K.D. Carlson **227**, 10
Vijayaraghavan, R., see R. Pinto **227**, 120
Vybornov, M., see N.M. Hong **227**, 85

Wagner, J.L., see J.F. Mitchell **227**, 279
Wang, H.H., see K.D. Carlson **227**, 10
Wang, Y.-J., see M.-R. Li **227**, 49
Wang, Z.R., see M. Xu **227**, 321
West, A.R., see J.M.S. Skakle **227**, 336
Williams, J.M., see K.D. Carlson **227**, 10

Xu, M., P.C. Canfield, J.E. Ostenson, D.K. Finnemore, B.K. Cho, Z.R. Wang and D.C. Johnston, Superconducting state magnetization and critical fields of single-crystal YNi_2B_2C **227**, 321
Xue, Y.Y., Y. Cao, R.L. Meng, C. Kinalidis and C.W. Chu, Magnetic properties of superconducting Y–Pd–B–C **227**, 63

Yamada, N., see A. Matsushita **227**, 254
Yamada, Y., see A. Matsushita **227**, 254
Yamane, H., see Y. Amamoto **227**, 245
Yamanishi, T., see A. Matsushita **227**, 254
Yamashita, H., see L. Dimesso **227**, 291
Yamauchi, H., see N. Seiji **227**, 377
Yoshida, Y., see W. Ito **227**, 313
Yu, C.C., see B.C. Chung **227**, 357

Zhang, H., see S.E. Babcock **227**, 183
Zhang, J.P., D.A. Groenke, B. Dabrowski, K.R. Poeppelmeier and L.D. Marks, Ca induced line defects and superconductivity in $Y_xSr_2Cu_2GaO_7$ **227**, 259
Zhang, M.-L. and H.-Y. Guo, Electron–phonon interaction for superconductivity in alkali-metal-doped fullerenes **227**, 15
Zhang, N., see S.E. Babcock **227**, 183
Zheng, G.-Q., Y. Kitaoka, K. Asayama and Y. Kodama, Magnetic-field enhancement of ^{63}Cu and ^{17}O relaxation rates in the mixed state of $YBa_2Cu_4O_8$. Observation of Fermi-liquid state in the vortex cores **227**, 169

ELSEVIER

Physica C 227 (1994) 403–404

PHYSICA C

Analytic Subject Index to Volume 227

2D vortex 22

AC susceptibility 1, 55
Anisotropic superconductor 113, 365
Antiferromagnetic order 267, 381
Applications of high-T_c superconductors 197

BEDT-TTF or ET 10
Bis(ethylenedithio)tetrathiafulvalene 10

Carrier concentration 183
CO_2 content 343
CO_3 compounds 215
Cohesive energy 109
Coulomb interactions 109
Critical current density 63, 176, 291
Critical fields 321
Critical state model 55, 176
Crystal field 15, 381
Crystal growth
–of $REBa_2Cu_3O_{7-y}$ 68

Defect structures 151
Doped fullerene 15

EELS 183
Electrical resistivity 95, 102, 160, 237, 254, 327
Electron diffraction 95
Energy gap 267, 381

Fermi liquid 169
Fermi surface 113, 327, 371
Fluctuation effects 365
Flux lattice 22
Flux pinning 120, 387

Ginzburg–Landau theory 387
Grain alignment 357
Grain alignment (texturing) 197
Grain boundaries 40, 151, 183
Granular superconductivity 55, 120

High-pressure effect 109, 254, 395
HREM 129, 245

Infrared spectroscopy 245
Intercalation 371
Intermolecular vibration mode 15
Intramolecular phonons 10
Irreversibility line 55
Isotope effect 10
I–V characteristics
–of $YBa_2Cu_3O_{7-x}$ 40

Kosterlitz–Thouless transition 22

Laser float zone melting technique 197
Lattice parameters 1, 31, 95, 313

Magnetic susceptibility 95, 259, 351, 365, 395
Magnetization 160, 176, 321
–of Y–Ni–B 85
–of Y–Pd–B–C 63
Metal–insulator transition 160, 327
Microstructure 120
Microwave absorption 230
Mixed state 387
Modulated structures 129, 259

Neutron diffraction 1, 143, 285
–of $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ 129
NMR 169, 225
Normal-state properties 327
NQR 68

Optical microscopy 151
Organic superconductors 10
Oxycarbonate superconductor
–of $(Cu_{0.5}C_{0.5})_2Ba_3Ca_{n-1}Cu_nO_{2n+5}$ (n=4, 5) 95
Oxygen stoichiometry 31, 113, 279, 336

Penetration depth 365
Phase composition 31
Phase diagram 22

Pyrolysis technique 300

Raman scattering 113
RVB model 49

Specific heat 85
–of $TmNi_2B_2C$ 381
–of YNi_2B_2C 381
Spin fluctuations 267
Spin-lattice relaxation rate 169
Staggered gauge vortices 49
Structural phase transition 285
Structure
–of $Bi_{0.5}Hg_{0.5}Sr_4Cu_2CO_3O_{7-\delta}$ 215
–of $Bi_2Sr_2Ca_1Cu_2O_x$ 371
–of $HgBa_2Ca_4Cu_5O_{12+\delta}$ 1
–of $HgBa_2CuO_4$ 225
–of $La_{1.5-x}Ba_{1.5+x-y}Ca_yCu_3O_z$ 336
–of $La_{2-x}Sr_xCuO_{4-\delta-y}Cl_y$ 237
–of $Nd_2Sr_3Cu_3O_6(BO_3)_2$ 245
–of $PrBa_2Cu_4O_8$ 377
–of $Y_{0.9}{}^{44}Ca_{0.1}Ba_2Cu_4O_8$ 285
–of YNi_2B_2C 143
–of $YSrBaCu_3O_7$ 309
–of $Y_xSr_2Cu_2GaO_7$ 259
Substitution effects
–in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ 102
–in $Bi_2Sr_{2-x}La_xCuO_{6+\delta}$ 102
–in Bi–Sr–Ca–Cu–O 291
–in $La_{1.5-x}Ba_{1.5+x-y}Ca_yCu_3O_z$ 336
–in $La_{2-x}Sr_xCu_{1-y}Ni_yO_4$ 160
–in $La_{2-x}Sr_xCuO_{4-\delta-y}Cl_y$ 237
–in $(Y_{1-x}Pr_x)_2Ba_4Cu_7O_{15-\delta}$ 254
–in $YSrBaCu_3O_7$ 309
–in $Y_xSr_2Cu_2GaO_7$ 259
Surface resistance 120
Synthesis
–of $Bi_{0.5}Hg_{0.5}Sr_4Cu_2CO_3O_{7-\delta}$ 215
–of Bi-2223 300
–of Bi–Sr–Ca–Cu–O 291
–of $Bi_xSr_{1.8}\ Ca_{0.9}\ Cu_{2.0}$ 31
–of $La_{1.5-x}Ba_{1.5+x-y}Ca_yCu_3O_z$ 336
–of $Nd_2Sr_3Cu_3O_6(BO_3)_2$ 245
–of $PrBa_2Cu_4O_8$ 377

–of Sr_2CuO_{3+x} 279
–of $Y_1Ba_2Cu_3O_{7-\delta}$ 357
–of $Y_2Ba_4Cu_{6+n}O_{14+n}$ 343
–of $Y_2Ba_4Cu_7O_{14+x}$ 68
–of $YBa_2Cu_3O_x$ 313
–of Y–Ca–Sr–Ga–Cu–O 351
–of YNi_2B_2C 143, 321

TEM 183
Thermoelectric effects 102
Thermomechanical processing 197
Thin films 357
–of $LuBa_2Cu_3O_{7-\delta}$ 120
–of $YBa_2Cu_3O_x$ 313
T-J model 267
Traveling-solvent floating-zone method 68
Twin boundaries 151
Type II superconductors 285

Upper critical field H_{c2} 63

Weak links 183, 230

XPS 309, 371
X-ray diffraction 68, 68, 85, 279, 291, 300, 313, 336, 351